



PRODUCT CATALOG 2025/2026

Beekeeping
with Italian passion



Welcome to our PRODUCT CATALOG

2025/2026

Catalog Index

New products	04
Honey extractors	06
Settling tanks	26
Sieves	32
Wax processing	34
Uncapping	36
Beekeeping accessories	38

Company Address

Przedsiębiorstwo Pszczelarskie Łyson Sp. z o.o.
Pszczela 2, 34-124 Klecza Dolna
NIP: 551-260-51-86
+48 33 875 99 40
globalsales_safnatura@lyson.com.pl



STAINLESS STEEL ROLLER UNCAPPING MACHINE WITH STEAM GENERATOR, LN, LN AM, D, D US, ZANDER

Professional uncapping solution, simplifying the process of preparing honey frames for extraction. This stainless steel roller uncapping machine, equipped with a built-in steam generator, ensures smooth, efficient, and hygienic removal of wax cappings.

- **Efficient operation** - rollers evenly uncap frames, reducing manual effort and saving time.
- **Built-in steam generator** - provides constant heat for effective uncapping without damaging the frames.
- **Durable stainless steel construction** - resistant to corrosion, and easy to clean.
- **Compact design** - placed directly on an uncapping table, taking up minimal space in the honey house.
- **Professional quality** - ideal for beekeepers looking to speed up workflow during honey harvest.

A practical and space-saving solution that combines durability, hygiene, and efficiency - helping beekeepers handle large volumes of frames with ease.

ID: **SN_795/LN**



Dimensions:

- **Width:** 564 mm
- **Depth:** 388 mm
- **Height:** 175 mm



BARREL WITH GASKET

Stainless steel barrel with gasket, 200 l / ~280 kg

- Made of high-quality stainless steel (AISI304).
- Capacity: 200 litres, load capacity: approx. 280 kg.
- Ideal for safe and hygienic honey storage.
- Corrosion-resistant, with no impact on taste or aroma.
- Airtight lid with gasket protects honey from moisture and impurities
- Prevents fermentation and preserves product quality.

Dimensions:

- **Height:** 1000 mm
- **Diameter:** 525 mm



ID: SN_64/J



HONEY BOTTLER WITH BUILT-IN SCALE, GEAR MODULE, 230V

Compact and efficient honey bottler designed for precise and convenient filling. Equipped with a built-in scale and gear module, it ensures accurate dosing and consistent performance.

- Power supply: 230V, motor power: 50W
- Dosing range: 50 - 2000 g
- Approximate output: 180 kg/h (at 37°C honey temperature)
- Memory for six preset dosing volumes
- Compact design - takes up little space in the workshop

Dimensions:

- **Width:** 200 mm
- **Depth:** 330 mm
- **Height:** 500 mm

ID: SN_FM1



HONEY EXTRACTORS



HONEY EXTRACTORS Ø 420



SAXO

ID: SN_127/A



BESTSELLER

HONEY EXTRACTORS Ø 420



SAXO

Tangential honey extractor 2-frame Ø420 mm, frame: DB, manual (top drive), without legs
– SAXO



BESTSELLER

- **Drum height:** 600 mm
- **Drive type:** Manual
- **Basket type:** Tangential
- **Type of frame:** 2 x Dadant

ID: **SN_127/A**



SAXO

Tangential honey extractor 2-frame Ø420 mm, frame: DB, manual (top drive) – SAXO

- **Drum height:** 600 mm
- **Drive type:** Manual
- **Basket type:** Tangential
- **Type of frame:** 2 x Dadant

ID: **SN_363**



SAXO

Tangential honey extractor 2-frame Ø420 mm, frame: DB, manual, without legs – SAXO

- **Drum height:** 600 mm
- **Drive type:** Manual
- **Basket type:** Tangential
- **Type of frame:** 2 x Dadant

ID: **SN_350/A**



SAXO

Tangential honey extractor 2-frame Ø420 mm, frame: DB, manual – SAXO

- **Drum height:** 600 mm
- **Drive type:** Manual
- **Basket type:** Tangential
- **Type of frame:** 2 x Dadant

ID: **SN_365**

HONEY EXTRACTORS Ø 420



COOPER

Tangential honey extractor 3-frame
Ø420 mm, frame: LN AM, manual
- COOPER

- Drum height: 600 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 3 x Langstroth / AM

ID: **SN_366**



COMPATTO

Tangential honey extractor 2-frame
Ø420 mm, frame: DB, manual (top
drive), with 50 kg settling tank and
sieve - COMPATTO

- Drum height: 900 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 2 x Dadant

ID: **SN_127**



COMPATTO side crank

Tangential honey extractor 2-frame
Ø420 mm, frame: DB, manual,
with 50 kg settling tank and sieve
- COMPATTO


- Drum height: 900 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 2 x Dadant

ID: **SN_350**

SAXO / COMPATTO basket



HONEY EXTRACTORS Ø 525



RITMO

ID: SN_74/F

 **BESTSELLER**

HONEY EXTRACTORS Ø 525



RITMO

Radial honey extractor Ø525 mm, frame: 9 DB 1/2, manual, + 3 tangential supports - RITMO



BESTSELLER

- Drum height: 600 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 9 x Dadant ½

ID: **SN_74/F**



RITMO

Radial honey extractor Ø525 mm, frame: 9 DB 1/2, manual – RITMO



REGATA

Tangential honey extractor 3-frame, Ø525 mm, frame: DB, LAYENS, manual – REGATA



KADETT

Tangential honey extractor 3-frame Ø525, frame: 3/6 DB, 3 LAYENS, manual – KADETT



- Drum height: 600 mm
- Drive type: Manual
- Basket type: Radial
- Type of frame: 9 x Dadant ½

ID: **SN_76**

- Drum height: 600 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 3 x Dadant / Layens

ID: **SN_74/B**

- Drum height: 600 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 3 x Dadant / 3 x Layens / 6 x Dadant ½

ID: **SN_74/A**

HONEY EXTRACTORS Ø 525

RACING



- Drum height: 600 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 4 x Langstroth / AM

Tangential honey extractor 4-frame Ø525 mm, frame: LN AM, manual – RACING




ID: **SN_74/C**

SPECIAL



- Drum height: 600 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 4 x Dadant
4 x Langstroth

Tangential honey extractor 4-frame Ø525 mm, frame: DB, LN, manual – SPECIAL



ID: **SN_74/SP**

RITMO



- Drum height: 600 mm
- Drive type: Electric
- Basket type: Radial
- Type of frame: 9 x Dadant

Radial honey extractor Ø525 mm, frame: 9 DB 1/2, electric, ECO 200W – RITMO




ID: **SN_523**

REGATA



- Drum height: 600 mm
- Drive type: Electric
- Basket type: Tangential
- Type of frame: 3 x Dadant / Layens

Tangential honey extractor 3-frame Ø525 mm, frame: DB, LAYENS, electric ECO 200W – REGATA



ID: **SN_521**

HONEY EXTRACTORS Ø 525



KADETT

Tangential honey extractor 3-frame
Ø525 mm, frame: 3/6 DB, 3 LAYENS,
electric, ECO 200W – KADETT

- Drum height: 600 mm
- Drive type: Electric
- Basket type: Tangential
- Type of frame: 3 x Dadant /
3x Layens / 6 x Dadant ½

ID: **SN_520**



RACING

Tangential honey extractor 4-frame
Ø525 mm, frame: LN AM, electric ECO
200W – RACING

- Drum height: 600 mm
- Drive type: Electric
- Basket type: Tangential
- Type of frame: 4 x Langstroth / AM

ID: **SN_522**



SPECIAL

Tangential honey extractor 4-frame
Ø525 mm, frame: LN AM, D US,
electric ECO 200W – SPECIAL

- Drum height: 600 mm
- Drive type: Electric
- Basket type: Tangential
- Type of frame: 4 x Dadant /
4x Langstroth

ID: **SN_531**

Ø 525



Manual

ID: **SN_74/F**
ID: **SN_76**
ID: **SN_74/B**
ID: **SN_74/A**
ID: **SN_74/C**
ID: **SN_74/SP**

Electric

ID: **SN_523**
ID: **SN_521**
ID: **SN_520**
ID: **SN_522**
ID: **SN_531**

HONEY EXTRACTORS Ø 640

Equipped with durable plexiglass covers, providing excellent visibility during the extraction process

Intuitive and convenient controller

Drum made of acid resistant stainless steel

Ideal for medium apiaries

6/4 plastic valve approved for food contact facilitates precise pouring of honey into the settling tanks

Sturdy structure of the honey extractor is supported by its long, powder-coated, foldable legs

The conical bottom allows efficient honey drainage and simplifies cleaning after use

CARRERA

ID: SN_526



BESTSELLER

HONEY EXTRACTORS Ø 640




CARRERA

Radial honey extractor Ø640 mm, frame: 18 DB 1/2, manual, + 3 tangential supports – CARRERA

- Drum height: 680 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 18 x Dadant ½

ID: **SN_74/H**



FUEGO

Tangential honey extractor, 4-frame Ø640 mm, frame: 4/8 DB, 4 LAYENS, manual – FUEGO

- Drum height: 680 mm
- Drive type: Manual
- Basket type: Tangential
- Type of frame: 4 x Layens / 4 x Dadant / 8 x Dadant ½

ID: **SN_74/G**



BESTSELLER

CARRERA

Radial honey extractor Ø640 mm, frame: 18 DB 1/2, electric, ECO 200W – CARRERA

- Drum height: 680 mm
- Drive type: Electric
- Basket type: Tangential
- Type of frame: 18 x Dadant ½

ID: **SN_526**



HONEY EXTRACTORS Ø 640



FUEGO

Tangential honey extractor, 4-frame
Ø640 mm, frame: 4/8 DB, 4 LAYENS,
electric, ECO 200W – FUEGO

- **Drum height:** 680 mm
- **Drive type:** Electric
- **Basket type:** Tangential
- **Type of frame:** 4 x Layens /
4 x DB / 8 x DB ½

ID: SN_525



MITO

Radial honey extractor Ø640 mm,
frame: 20 DB 1/2, 12 LN AM, electric,
ECO 200W – MITO

- **Drum height:** 680 mm
- **Drive type:** Electric
- **Basket type:** Radial
- **Type of frame:** 12 x Langstroth / AM /
20 x Dadant ½

ID: SN_530



HONEY EXTRACTORS Ø 800

Equipped with durable plexiglass covers, providing excellent visibility during the extraction process

Easy-to-use control unit powered by 230V

Drum and basket made of acid resistant stainless steel

TIGUAN

ID: SN_74/T1




BESTSELLER

2 inch diameter stainless steel valve to facilitate pouring of honey

Sturdy structure of the honey extractor is supported by its long, powder-coated, foldable legs

Conical bottom for easy pouring of honey and cleaning after use

HONEY EXTRACTORS Ø 800




KUGA

4-cassette honey extractor, Ø800 mm, frame: 4/8 DB, electric, ECO 200W, automatic controller SAF NATURA – KUGA

- **Drum height:** 700 mm
- **Drive type:** Electric
- **Basket type:** Cassette
- **Type of frame:** 4 x Dadant / 8 x Dadant ½

ID: SN_74/K1



TIGUAN

Radial honey extractor Ø800 mm, frame: 30 DB 1/2, 30 LN AM, electric, ECO 200W – TIGUAN

- **Drum height:** 700 mm
- **Drive type:** Electric
- **Basket type:** Radial
- **Type of frame:** 30 x Dadant ½ / 30 x Langstroth AM

ID: SN_74/T1

HONEY EXTRACTORS Ø 900

Equipped with durable plexiglass covers, providing excellent visibility during the extraction process

Easy-to-use control unit powered by 230V

Drum and basket made of acid resistant stainless steel

2 inch diameter stainless steel valve to facilitate pouring of honey

Conical bottom for easy pouring of honey and cleaning after use

Sturdy structure of the honey extractor is supported by its long, powder-coated, foldable legs


MALAGA

ID: SN_131



BESTSELLER

HONEY EXTRACTORS Ø 900




MALAGA

6-cassette honey extractor. Ø900 mm, frame: 6/12 DB, 6 LAYENS, electric, ECO 200W, automatic controller SAF NATURA – MALAGA

- **Drum height:** 800 mm
- **Drive type:** Electric
- **Basket type:** Cassette
- **Type of frame:** 6 x Layens / 6 x Dadant / 12 x Dadant 1/2

ID: SN_131



FOCUS

Radial honey extractor Ø900 mm, frame: 24/42 DB, electric, ECO 200W – FOCUS

- **Drum height:** 800 mm
- **Drive type:** Electric
- **Basket type:** Radial
- **Type of frame:** 24 x Dadant / 42 x Dadant 1/2

ID: SN_132

BASKETS FOR HONEY EXTRACTORS Ø 425



Saxo

In stainless steel and food-grade plastic. For 2/4 D.B or 2 Langstroth frames.

ID: **SN_127/A**

ID: **SN_127**

ID: **SN_350**

ID: **SN_363**

ID: **SN_350/A**

ID: **SN_365**



Cooper

In stainless steel 18/10. For 3 Langstroth frames.

ID: **SN_366**

BASKETS FOR HONEY EXTRACTORS Ø 525



Ritmo

Radial basket for 9 D.B. super frames or framex max 160 mm.

ID: **SN_74/A**

ID: **SN_76**

ID: **SN_523**



Regata

Tangential basket for 3 LAYEN frames. Full stainless steel

ID: **SN_74/B**

ID: **SN_521**



Kadett

Tangential basket for 3/6 D.B. frames or 3 Layens frames.

ID: **SN_74/A**

ID: **SN_520**



Racing

Tangential basked for 4 Langstroth frames. Supports in food-grade plastic.

ID: **SN_74/C**

ID: **SN_522**



Special

Tangential basked for 4 frames max 300 mm. Full stainless steel

ID: **SN_74/SP**

ID: **SN_531**

BASKETS FOR HONEY EXTRACTORS Ø 640



Carrera

Radial basket for 18 D.B. super frames or frames max. 160 mm

ID: [SN_74/H](#)

ID: [SN_526](#)



Fuego

Tangential basket for 4 Layens frames or 4/8 D.B. frames. Full stainless steel.

ID: [SN_74/G](#)

ID: [SN_525](#)



Mito

Radial basket for 20 D.B. little frames or 12 Langstroth frames.

ID: [SN_530](#)

BASKETS FOR HONEY EXTRACTORS Ø 800



Kuga

Reversible basket for 4/8 D.B frames or 4 frames max. 300 mm

ID: [SN_74/K1](#)




Tiguan

Radial basket for 30 super frames D.B. or 30 Langstroth frames

ID: [SN_74/T1](#)


BASKETS FOR HONEY EXTRACTORS Ø 900



Malaga

Reversible basket consist of 6 reversible pockets 345 mm x 48 mm x 440 mm. For 6 Layens frames, 6/12 D.B. frames.

ID: [SN_131](#)



Focus

Radial basket for 24/42 D.B. frames or 42 Langstroth frames

ID: [SN_132](#)

CONTROLLERS



Convenience and ease of use

- **Automated operation** - simply turn on the drive and set the spinning parameters
- **Time and effort saving** - no manual effort required for smooth and comfortable operation
- **Adjustable speed** - adapt the rotation speed to different honey types and frames for optimal results

Efficiency and time savings

- **Faster honey extraction** - compared to manual models
- **Automatic mode** - allows beekeepers to perform other tasks while the extractor operates
- **More precise extraction** - ensures thorough honey removal from frames, increasing efficiency



Uniformity and work safety

- **Smooth start and stop** - minimizes the risk of damaging frames
- **Better stabilization** - reduces vibrations and noise for a comfortable experience
- **Electronic control system** - prevents overloads and sudden speed fluctuations

Durability and quality

- **Robust design** - SAF Natura drives are built for long-term use
- **Durable materials** - resistant to harsh apiary conditions
- **Energy efficiency** - low power consumption relative to performance



CONTROLLERS



Controller board type	SN_ALIM/EKO	SN_ALIM
Controller class	OPTIMA	OPTIMA
Controller type	Digital	Digital
Housing	Black sheet metal, powder coated	Black sheet metal, powder coated
Honey extractor diameter [mm]	525 - 900	800 - 900
Honey extractor type	TANGENTIAL / RADIAL	CASSETTE
Number of manual programs	10	2
Number of automatic programs	0	12
Possibility of programming user program	No	Yes
Number of user programs	No	6
Inverter	No	No
Full error diagnostics	No	No
Controller mounting location	Leg	Leg
Working time counter	No	Yes
Safety button	Yes	Yes
Open cover indication	Effect on the display "r"	Communicate "LID IS OPEN"
Programming dedicated to the device model	No	Yes
Changing the direction of rotation of the cassettes	Manual mode	Automatic mode
Input power [V]	230	230
Motor	12V / 200W	12V / 200W
Language selection	NA	NA
Warranty [months]	24	24
Additional	Installed in honey extractors with a diameter of 800 mm and 900 mm in radial mode only	

SETTLING TANKS



SETTLING TANKS



a stainless steel lid

drum made of acid-resistant stainless steel

6/4 plastic valve screwed onto a stainless screw union

Possibility of purchasing dedicated stand



Stainless steel settling tank 100 kg, plastic valve, stainless steel screw union

ID: SN_64/A



BESTSELLER

ID: SN_64/B1_N

SETTLING TANKS



30 kg

Stainless steel settling tank 30 kg, handles, plastic valve, stainless steel screw union

- Capacity [l]: 20 l
- Capacity [kg]: 30 kg
- Drum diameter: Ø 310 mm
- Drum height: 350 mm

ID: **SN_64**



50 kg

Stainless steel settling tank 50 kg, plastic valve, stainless steel screw union

- Capacity [l]: 35 l
- Capacity [kg]: 50 kg
- Drum diameter: Ø 310 mm
- Drum height: 500 mm

ID: **SN_64/A**



100 kg

Stainless steel settling tank 100 kg, plastic valve, stainless steel screw union



BESTSELLER

- Capacity [l]: 70 l
- Capacity [kg]: 100 kg
- Drum diameter: Ø 390 mm
- Drum height: 630 mm

ID: **SN_64/B**



200 kg

Stainless steel settling tank 200 kg, plastic valve, stainless steel screw union

- Capacity [l]: 140 l
- Capacity [kg]: 200 kg
- Drum diameter: Ø 525 mm
- Drum height: 800 mm

ID: **SN_64/C**

SETTLING TANKS



400 kg

Stainless steel settling tank 400 kg, stainless steel valve

- Capacity [l]: 280 l
- Capacity [kg]: 400 kg
- Drum diameter: Ø 625 mm
- Drum height: 960 mm

ID: **SN_64/D**



60 kg with sieve

Stainless steel settling tank 60 kg with sieve, plastic valve, stainless steel screw union

- Capacity [l]: 40 l
- Capacity [kg]: 60 kg
- Drum diameter: Ø 310 mm
- Drum height: 630 mm

ID: **SN_64/F**



120 kg with sieve

Stainless steel settling tank 120 kg with sieve, plastic valve, stainless steel screw union

- Capacity [l]: 85 l
- Capacity [kg]: 120 kg
- Drum diameter: Ø 390 mm
- Drum height: 790 mm

ID: **SN_64/G**



SETTLING TANKS



Stands for settling tanks

This stand is designed to provide maximum stability and support for the settling tank. The stand is resistant to mechanical damage and external influences thanks to high-quality materials, resulting in a long service life.

Stand for settling tank 30 kg, 50 kg, 60 kg, stainless steel

ID: **SN_64/A1_N**

Stand for settling tank 100 kg, 120 kg, stainless steel

ID: **SN_64/B1_N**

Stand for settling tank 200 kg, stainless steel

ID: **SN_64/C1_N**

Stand for settling tank 400 kg, stainless steel

ID: **SN_64/D1_N**



Plastic valve 6/4"

ID: **43110118**



Stainless steel bucket, 30 kg with sieve, clamping ring

ID: **SN_251**



Stainless steel bucket, 30 kg without sieve, clamping ring

ID: **SN_250**

SETTLING TANKS



SIEVES



SIEVES



**Stainless steel sieve
for 100 kg settling
tank, single**

ID: [SN_1](#)



**Stainless steel sieve
for 200 kg settling
tank, single**

ID: [SN_119](#)



**Stainless steel sieve
for 400 kg settling
tank, single**

ID: [SN_122](#)



**Stainless steel sieve
Ø320 mm for 50-100
kg settling tanks,
single with handles**

ID: [SN_39](#)



**Stainless steel sieve
Ø320 mm for 50-100
kg settling tanks,
double with handles**

ID: [SN_39/A](#)



**Stainless steel sieve
Ø468 mm for 200-
400 kg settling tanks,
single with handles**

ID: [SN_40](#)



**Stainless steel sieve
Ø468 mm for 200-
400 kg settling tanks,
double with handles**

ID: [SN_40/A](#)

WAX PROCESSING



WAX PROCESSING



Wax melter

Wax melter based on a settling tank, perforated basket insert, without burner

- **Diameter:** Ø 525 mm
- **Height:** 625 mm

ID: **SN_103/B**



Gas burner

For wax melters

ID: **43190001**



Solar wax melter

Stainless steel solar wax melter, 680 mm x 680 mm, with legs

ID: **SN_14**

UNCAPPING



UNCAPPING



Universal uncapping table 500 mm, plastic valve in the bottom

- Tank length: 650 mm
- Tank width: 460 mm
- Tank height: 410 mm
- Mesh size: Ø 3 mm

ID: SN_12/A



Universal uncapping table 1000 mm, plastic valve in the bottom

- Tank length: 1000 mm
- Tank width: 460 mm
- Tank height: 410 mm
- Mesh size: Ø 3 mm

ID: SN_12



Universal uncapping table 1000 mm with pin, plastic valve in the bottom

- Table length: 1000 mm
- Table width: 460 mm
- Table height: 410 mm
- Mesh size: Ø 3 mm

ID: SN_12/B



Universal uncapping table 2000 mm, plastic valve in the bottom

- Tank length: 2000 mm
- Tank width: 460 mm
- Tank height: 410 mm
- Mesh size: Ø 3 mm

ID: SN_13



Plastic tray

Plastic tray for frame uncapping, dual-function, stainless steel insert, plastic valve


ID: SN_11/A



Frame stand

Frame stand for tray/uncapping table

ID: SN_11/H



Frame stand

Frame stand for tray/uncapping table

ID: SN_11/H_N

BEEKEEPING ACCESSORIES



BEEKEEPING ACCESSORIES



Lid for 4 l feeder

Feeder Rectangular mm 325x385.
About 4 lt. capacity.

ID: **SN_121/A**



Wire tensioner

Wire crimper to tighten and knurling the wire of your frames. To prevent wax foundation to fall

ID: **SN_93**



Royal jelly spoon, flat, 1000 pcs.

Royal jelly spoon (1000 pcs).

ID: **SN_27**



Entrance reducer 385/450 mm, gray, 100 pcs.

ID: **SN_68/G**



Entrance reducer 385/450 mm, white, 100 pcs.

ID: **SN_69**



Round plastic feeder, 1l - set: lid + chimney cap

ID: **SN_66/A**



Lid for 1l round feeder

ID: **SN_66/A_P**



Chimney cap for 1l and 1,5l round feeder

ID: **SN_66/A_K**



Lid for 1,5l round feeder

ID: **SN_66/B_P**



Round plastic feeder, 1,5l - set: lid + chimney cap

ID: **SN_66/B**



Our distribution points

Przedsiębiorstwo Pszczelarskie Lyson Sp. z o.o.

Pszczela 2, 34-124 Klecza Dolna

POLAND

+48 33 875 99 40

globalsales_safnatura@lyson.com.pl